

SUPER UMIDO STOP - pastiglia

Revision nr. 2

Dated 04/10/2023

Printed on 05/02/2024

Page n 1/13

Replaced revision:1 (Printed on: 13/12/2021)

Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SUPER UMIDO STOP - pastiglia Product name INDEX number 017-013-00-2 FC number 233-140-8 10043-52-4 CAS number Registration Number 01-2119494219-28

1.2. Relevant identified uses of the substance or mixture and uses advised against Dehumidifier for the home environment; dehydrating agent. Intended use

Consumer Uses [C] - Home maintenance products.

1.3. Details of the supplier of the safety data sheet

N.P.T. S.R.L. Full address via Guido Rossa 2

District and Country 40053 Valsamoggia - Loc. Crespellano (BO)

Italia

Tel. +39 051 969109 Fax +39 051 969837

e-mail address of the competent person

responsible for the Safety Data Sheet infoSDS@nptsrl.com

1.4. Emergency telephone number

For urgent inquiries refer to Please contact your near local poison control center

Laboratories and manufactory plant - Villanova d'Ardenghi (PV)

+39 0382 400140 (avaiable from Monday to Friday, only in the following office hours: 8.30-12.30, 13.30-17.00). Laboratories and manufactory plant VALSAMOGGIA (BO) +39

051969068 office hours (8.30-13; 14-17.30), from Monday to Thursday

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2 H319 Causes serious eye irritation.

2.2. Label elements



SUPER UMIDO STOP - pastiglia

Revision nr. 2

Dated 04/10/2023

Printed on 05/02/2024

Page n. 2/13

Replaced revision:1 (Printed on: 13/12/2021)

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

P102 Keep out of reach of children.

P101 If medical advice is needed, have product container or label at hand.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P280 Wear eye protection / face protection.

P337+P313 If eye irritation persists: Get medical advice / attention.

P264 Wash hands thoroughly after handling.

Contains: CALCIUM CHLORIDE

INDEX 017-013-00-2

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

SECTION 3. Composition/information on ingredients

3.1. Substances

Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

CALCIUM CHLORIDE

INDEX 017-013-00-2 $78 \le x < 82$ Eye Irrit. 2 H319

EC 233-140-8 CAS 10043-52-4

REACH Reg. 01-2119494219-28



SUPER UMIDO STOP - pastiglia

Revision nr. 2

Dated 04/10/2023

Printed on 05/02/2024

Page n. 3/13

Replaced revision:1 (Printed on: 13/12/2021)

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

In case of doubt or in the presence of symptoms contact a doctor and show him this document.

In case of more severe symptoms, ask for immediate medical aid.

EYES: Remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Take off contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice. Avoid further contact with contaminated clothing.

INGESTION: Do not induce vomiting unless explicitly authorised by a doctor. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

INHALATION: Remove victim to fresh air, away from the accident scene. Get medical advice/attention.

Rescuer protection

It is good practice for rescuers lending support to a person who has been exposed to a chemical substance or to a mixture to wear personal protective equipment. The nature of such protection depends on the hazard level of the substance or mixture, on the type of exposure and on the extent of the contamination. In the absence of other more specific indications, use of disposable gloves in the event of possible contact with body fluids is recommended. For the type of PPE suitable for the characteristics of the substance or mixture, see section 8.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

DELAYED EFFECTS: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice / attention.

Means to have available in the workplace for specific and immediate treatment

Running water for skin and eye wash.

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

CALCIUM CHLORIDE Hydrogen chloride gas.

5.3. Advice for firefighters

NPT S B

N.P.T. S.R.L.

SUPER UMIDO STOP - pastiglia

Revision nr. 2

Dated 04/10/2023

Printed on 05/02/2024

Page n. 4/13

Replaced revision:1 (Printed on: 13/12/2021)

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

If there are no contraindications, spray powder with water to prevent the formation of dust.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product and place it in containers for recovery or disposal. If there are no contraindications, use jets of water to eliminate product residues.

Make sure the leakage site is well aired. Evaluate the compatibility of the container to be used, by checking section 10. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Keep the container closed when not in use. Store in a dry and fresh area.

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

CALCIUM CHLORIDE

Keep cool and dry. Avoid direct exposure to the sun.

Storage class TRGS 510 (Germany): 11

7.3. Specific end use(s)

Information not available



SUPER UMIDO STOP - pastiglia

Revision nr. 2

Dated 04/10/2023

Printed on 05/02/2024

Page n. 5/13

Replaced revision:1 (Printed on: 13/12/2021)

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

EU OEL EU

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive

2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

TLV-ACGIH ACGIH 2023

10

CALCIUM CHLO Threshold Limit							
Туре	Country	TWA/8h		STEL/15min		Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm		
OEL	EU	6,6					

Health - Derived no-effect level - DNEL / DMEL								
	Effects on				Effects on			
	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
				systemic		systemic		systemic
Inhalation	5 mg/m3	VND	2,5 mg/m3	VND	10 mg/m3	VND	5 mg/m3	VND

Leaend:

TLV-ACGIH

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION.

The use of single-use latex, PVC or nitrile gloves is recommended. Contaminated gloves should be removed immediately.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

Use a type P filtering facemask, whose class (1, 2 or 3) and effective need, must be defined according to the outcome of risk assessment (see standard EN 149).

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

NPT V

N.P.T. S.R.L.

SUPER UMIDO STOP - pastiglia

Information

Revision nr. 2

Dated 04/10/2023

Printed on 05/02/2024

Page n. 6/13

Replaced revision:1 (Printed on: 13/12/2021)

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Value **Properties** Appearance solid Colour white Odour odourless 176 °C Melting point / freezing point 1600 °C Initial boiling point Flammability not flammable Lower explosive limit not applicable Upper explosive limit not applicable Flash point not applicable

pH 10

Kinematic viscosity not applicable Solubility soluble in water Partition coefficient: n-octanol/water not available Vapour pressure not applicable Density and/or relative density $1,5 \div 1,55$ g/cm3 Relative vapour density not applicable Particle characteristics not available

not available

> 176 °C

9.2. Other information

Auto-ignition temperature

Decomposition temperature

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Explosive properties not applicable
Oxidising properties not applicable
Can pressure: Not applicable

SECTION 10. Stability and reactivity

10.1. Reactivity

Hygroscopic. Possible exothermic reaction.

There are no particular risks of reaction with other substances in normal conditions of use.

CALCIUM CHLORIDE

Possibility of reaction with oxidizing substances.



SUPER UMIDO STOP - pastiglia

Revision nr. 2

Dated 04/10/2023

Printed on 05/02/2024

Page n. 7/13

Replaced revision:1 (Printed on: 13/12/2021)

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

CALCIUM CHLORIDE

The product is stable at the recommended storage and handling conditions (see paragraph 7).

10.3. Possibility of hazardous reactions

Reacts violently with water.

No hazardous reactions are foreseeable in normal conditions of use and storage.

CALCIUM CHLORIDE

It reacts violently with water.

10.4. Conditions to avoid

Protect from humidity and water.

None in particular. However the usual precautions used for chemical products should be respected.

CALCIUM CHLORIDE

Protect from moisture and water.

10.5. Incompatible materials

CALCIUM CHLORIDE

Oxidizing agents. Strong reducing agents. Metals.

Oxidizing substances.

Keep away from reducing agents. It can be corrosive for metals (aqueous solution).

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

NPT ...

N.P.T. S.R.L.

SUPER UMIDO STOP - pastiglia

Revision nr. 2

Dated 04/10/2023

Printed on 05/02/2024

Page n. 8/13

Replaced revision:1 (Printed on: 13/12/2021)

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

ATE (Oral) of the mixture:

Not classified (no significant component)

CALCIUM CHLORIDE

 LD50 (Dermal):
 > 5000 mg/kg Rabbit

 LD50 (Oral):
 2301 mg/kg Rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

CALCIUM CHLORIDE

- Ocular irritation (Oecd 405): irritating (determined on rabbit eyes)

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE



SUPER UMIDO STOP - pastiglia

Revision nr. 2

Dated 04/10/2023

Printed on 05/02/2024

Page n. 9/13

Replaced revision:1 (Printed on: 13/12/2021)

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

CALCIUM CHLORIDE

LC50 - for Fish

EC50 - for Crustacea

EC50 - for Algae / Aquatic Plants

4630 mg/l/96h Pimephales promelas

2400 mg/l/48h Daphnia magna

2900 mg/l/72h Pseudokirchneriella subcapitata

12.2. Persistence and degradability

Information not available

12.3. Bioaccumulative potential

CALCIUM CHLORIDE

- Potentially bioaccumulative.

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available



SUPER UMIDO STOP - pastiglia

Revision nr. 2

Dated 04/10/2023

Printed on 05/02/2024

Page n. 10/13

Replaced revision:1 (Printed on: 13/12/2021)

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.
The correct disposal code (determined by the refusal generation mode) cannot be specified by the manufacturer in the case of products used in various sectors. CER code (recommended): 06 03 14; 08 01 05.
Regulation (EU) N. 1357/2014: HP4 - Irritating - Skin irritation and eye injuries.
SECTION 14. Transport information
The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.
14.1. UN number or ID number
not applicable
14.2. UN proper shipping name
The state of the s
not applicable
44.2 Transport hazard alass/ss\
14.3. Transport hazard class(es)
not applicable
14.4. Packing group
not applicable
AA E Environmental bassada
14.5. Environmental hazards
not applicable
14.6. Special precautions for user



SUPER UMIDO STOP - pastiglia

Revision nr. 2

Dated 04/10/2023

Printed on 05/02/2024

Page n. 11/13

Replaced revision:1 (Printed on: 13/12/2021)

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)



SUPER UMIDO STOP - pastiglia

Revision nr. 2

Dated 04/10/2023

Printed on 05/02/2024

Page n 12/13

Replaced revision:1 (Printed on: 13/12/2021)

WGK 1: Low hazard to waters

Substance listed in Annex 2

15.2. Chemical safety assessment

Has been performed a chemical safety assessment for the substance.

CALCIUM CHLORIDE

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Eye Irrit. 2 Eye irritation, category 2 H319 Causes serious eye irritation.

FGFND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008 DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament

SUPER UMIDO STOP - pastiglia

Revision nr. 2

Dated 04/10/2023

Printed on 05/02/2024

Page n 13/13

Replaced revision:1 (Printed on: 13/12/2021)

- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP) 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)

- 23. Delegated Regulation (UE) 2023/707 24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
- 24. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
- The Merck Index. 10th Edition

 Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 04 / 07 / 08 / 09 / 10 / 11 / 12 / 15 / 16.